

**Remarks**

As stated above, Applicants appreciate the Examiner's thorough examination of the subject application and request reexamination and reconsideration of the subject application in view of the following remarks.

In the subject application, claims 1-7, 9, 10, 13, and 15 are pending, of which claims 1, 3, 9, 10, 13, and 15 are independent claims, and claims 2-7 are dependent. Applicants have amended the specification and made no amendment to the claims. Applicants respectfully submit that no new matter is believed to have been added as a result of this amendment.

***Claim Rejections – 35 U.S.C. § 101***

Claims 13 and 15 stand rejected under 35 U.S.C. § 101 because the Examiner appears to believe that the claimed invention is directed to non-statutory subject matter. Applicants respectfully traverse this rejection.

More specifically, the Examiner appears to believe that the specification on page 103 discloses that a program can be stored on a fluid transmission medium and the signals readable by machine. *See* the subject action, page 2. It is Applicants' understanding that the Examiner is referring to page 113 of the specification as filed. Applicants have amended the specification by removing at least the terms "fluid transmission" and "signals". Applicants respectfully submit that claims 13 and 15 are now directed towards statutory subject matter. Accordingly, withdrawal of the rejection to claims 13 and 15 under 35 U.S.C. § 101 is respectfully requested.

***Claim Rejections – 35 U.S.C. § 103***

Claims 1-7, 9, 10, 13, and 15 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Salas et al (Salas, U.S. Patent 6,233,600) in view of Maurille (U.S. Patent 6,484,196) and further in view of Cutler et al. (U.S. Patent 5,129,083). Applicants respectfully traverse this rejection. Applicants maintain the arguments presented in the Reply to the Decision of the Board of Patent Appeals and Interferences Dated 04 September 2009 (the "previous reply"). Applicants have provided these arguments again, below, for the Examiner's convenience.

As stated by the Federal Circuit, a prior art reference must disclose the elements of the claimed invention "arranged as in the claim." The Examiner, further, must identify the elements of the claims of the application, determine their meaning in light of the specification and prosecution history, and identify the corresponding elements disclosed in the reference. [See *Lindermann Maschinenfabrik GmbH v. American Hoist & Derrick Co.*, 221 USPQ 481, 485 (Fed. Cir. 1984). This case dealt with anticipation under 35 U.S.C. 102, but the principle applies here as well]. Further, references do not teach when the prior art is lacking or missing a specific feature or structure of the claimed invention. [See *Continental Can Co. USA v. Monsanto Co.*, 20 USPQ 2d 1746, 1748 (Fed. Cir. 1991)].

The proper approach to the obviousness issue must start with the claimed invention as a whole. It is true that it consists of a combination of old elements so arranged as to perform certain related functions. It is immaterial to the issue, however, that all of the elements were old in other contexts. What must be found obvious to defeat the patent is the claimed combination. [Kimberly-Clark Corp. v. Johnson & Johnson, 745 F.2d 1437, 223 USPQ 60-3, 609-10 (Fed. Cir. 1984).]

Applicants will show that several of the elements in the claims alleged by the Examiner to be taught by the references are, in fact, not taught when properly considered, and that when considered as a whole, the cited art references do not teach the claimed combination.

In order to find teachings in the art for the method and structure set forth in the claims, the Examiner selects (1) Salas from the collaborative workspace technology, (2) Cutler from the ACL security technology, and (3) Maurille from the hierarchical data structure technology.

Referring to (1) collaborative workspace technology, (2) ACL security technology, and (3) hierarchical or tree data structure technology, the Examiner states:

"Any combination of these three technologies would have been obvious to one skilled in the art in 1999." [Emphasis added. Office Action, 10/10/06, page 3.]

Applicants argue that to read these technologies on "any combination", including Applicants' claims, requires impermissible hindsight using Applicants' own claim as a roadmap, and that is what the Examiner has done. This "any combination" statement fails to establish why these references "would appear" to have been combined.

Applicants note the following critical distinctions from each of the references, and from their combination. These distinctions further establish the conclusion that the referenced elements in the combination suggested do not teach the claim as a whole.

Salas does not appear to teach a hierarchical arrangement of "rooms", but rather a room (eRoom 24) which has a hierarchical arrangement of objects (pages 27, files 29, and database objects 28.) Several eRooms 22 are referenced in directory 22 from server database 20, but these are not arranged in a hierarchical structure.

Cutler does not appear to teach, inter alia, that access at any level of authority to a subroom is enabled only for those authorized to access the root room, together with a third

access control (readers field) on the forward pointer to control whether the link to a child room will be enabled in its parent room for a specific user.

While Maurille does appear to teach forward and reverse pointers, Maurille only appears to refer to a data schema including users, not rooms in collaboration space.

Building on these distinctions with respect to the references taken individually, Applicants traverse their combination.

Applicants further contend that these teachings are not from a common domain such that teachings may be combined as the Examiner asserts. Typical of the Examiner's rationale, based on Applicants' own disclosure and using the claims as a roadmap, for combining these references is the following:

"It would have been obvious to one of ordinary skill in the art... to modify Salas to operate a collaborative workspace for message communications between members as taught by Maurille, and to modify Salas to enable utilization of standard object oriented techniques for collaborative space processing such as pointers to objects containing access control lists (ACLs) and controlling access to objects as taught by Cutler.... to employ Maurille in order to optimize message processing and display capabilities for a networked collaborative communications environment (see Maurille col. 6, lines 13-16...), and to employ Cutler in order to efficiently enhance security by providing limited visibility of computer resources and protecting data integrity (see Cutler, col. 1, lines 47-53...).

The above statement falls short of demonstrating that Salas, Maurille and Cutler teach Applicants' claims. That is, various teachings are drawn from these references in an apparent attempt to show all of the elements of Applicants' claims, yet they fail to do so at the level of specificity set forth in Applicants' claims, as will be more fully explained below.

Further, these references are in different fields, or domains. Specifically, Cutler appears to refer to objects within an operating system domain, which is not the same domain as collaboration space. Maurille appears to contain no reference to rooms in collaboration space. The generic use of access control on objects in an operating system taught by Cutler does not

map, to those of ordinary skill in the art, to the specific claimed configuration of access controls on rooms and subrooms which are places within collaboration space having access control lists in each room and readers fields on forward pointers between rooms. Salas appears to refer to an E-room, which does not appear to be the same as Applicants' collaboration space. The Salas E-room appears to be a database with tables on a server, but not a plurality of E-rooms. Applicants' collaboration space does not refer merely to a database on a server, but rather to a construct that has a plurality of rooms linked in such a way that a quick place (room) includes a plurality of quick places (rooms) double linked with access control on each parent place, each child place, and each forward pointer linking these places.

Applicants' collaboration space comprises a root place including a plurality of additional places (subrooms) linked by the double linked (forward and reverse pointers) construct set forth in the claims, with access control on the root place, each subroom, and on the forward pointers which, in the specific combination set forth in the claims, support increased, decreased, and maintained (the same) access to the subroom as that allowed on a parent room, and that access at any level of authority to a subroom is enabled only for those authorized to access the root room, together with a third access control provided on forward pointers to control whether the link to a child room will be enabled in its parent room for a specific user.

The Cutler reference appears to be characterized by the Examiner as teaching "...the usage of object oriented technology utilizing access control list techniques for collaborative space management". Applicants traverse the suggestion that Cutler teaches such for collaborative space management. The Examiner refers to the following from Cutler:

"In addition to visibility control, access to each object is controlled through an access control list which specifies the processes authorized to access the object, and the types of access that are allowed." [Cutler, Col. 2, lines 27-30.]

"Each object 822 has access control information that describes the access rights needed by a user to gain access to a resource. The object header 820 contains the access control information." [Cutler, Col 22, lines 65-67.]

"Any process, including the top level process, can cause the creation of additional processes, called subprocesses or child processes. Any process which creates another process is referred to as a parent process." [Cutler, Col. 5, lines 21-25.]

There appears to be no teaching in Cutler, nor in Cutler in combination with Salas and Maurille, that a second access control list is provided for a subroom (each room and subroom is a separate quick place in a collaboration domain) in a hierarchy of rooms (or quick places) so as to enable increased, decreased, and maintained (the same) access to the subroom as that allowed by the access control list on the parent room, and that access at any level of authority to a subroom is enabled only for those authorized to access the root room, together with a third access control (readers field) on the forward pointer to control whether the link to a child room will be enabled in its parent room for a specific user.

In Applicants' specification, an access control list for the place in collaboration space (that is, the root place, or room) is used for management of security of all sub-rooms within that space. That is, access (as distinguished from level of access: reader, manager, etc.) to sub-rooms within a place is limited to only those individuals listed in the access control list for the place (that is, the highest room in the hierarchy). Thus, Applicants' claimed invention appears to provide a restrictive control over who may become a member of the various rooms within a place (that is, to whom managers can give access to rooms within the place.) This list of people is in the place main or root room of the hierarchy of rooms. A manager or author can only add to the access control list of a room or subroom individuals who are listed in the access control list of the root room of the hierarchy. This structure is brought out in the following references from the specification.

"Referring again to Figure 6, eight QuickPlace extensions 160 are enhancements made to the Domino web server 132 in order to support a QuickPlace application. These extensions 160 are enabled only for QuickPlace URLs; that is, they are enabled for URLs that are targeted against a particular QuickPlace. These extensions are: (1) shared design elements, (2) database linkage, (3) commands, (4) publish and draft model, (5) security and authentication, (6) forms and fields, (7) decoration model), and (8) graphics server." [Page 56, line 13 to page 57, line 1. Emphasis added.]

"(2) Database linkage enables the grouping of a number of databases in a hierarchical way. A place is a collection of databases, and these need to be represented in a parent child relationship. Data notes represent the hierarchy to the database. There is a data note in the parent database, and there is a data note in the child database. The use of data notes for these QuickPlace extensions as a way of representing their functionality has the benefit that there are many ways of manipulating them, whether it's with Java or forms or the Notes designer. [Specification, page 57, lines 12-21.]

"(5) The security and authentication QuickPlace extension is consistent with the QuickPlace model, which provides three levels of security or roles: reader, author, and manager. There exists a member directory for each place. What this means is that each place has its own set of members that visit it. The Domino server is modified to perform local authentication against that directory, making places very portable, self-contained. And they don't collide with other members in other places. A user, having control of his own place member directory, set his own security for access to that directory. [Page 59, line 15 to page 60, line 1. Emphasis added.]

"...a collaborative environment to be set up without administrative support, that is by members of the team itself, using a familiar and easy to use browser user interface. Members of the team, acting with manager or author authority, and using such a browser interface without involving administrative or application development support, need to be able to set up a folder or room for each project element..." [Specification, page 5, lines 7-15. Emphasis added.]

"A room is created from a default room type template, PageLibrary.ntf, which provides indexing infrastructure for maintaining the pages in a room, and also security and authentication features so that access to a room can be limited to a subset of team members." [Specification, page 55, line 16 ff. Emphasis added.]

Applicants contend that Salas, Maurille, and/or Cutler do not appear to teach that membership in an access control list control on a specific subroom in collaboration space is limited to members included in the access control list for the collaboration space. Thus, the reference to Col. 13, lines 31-34 of Salas states:

"...each object may be provided with a field or fields which identify users that may open, view, and edit the object."

"Users" does not appear to be limited, apparently, to "members", as the latter may be identified for the place as distinguished from objects within the place. As noted above, Cutler does not appear to provide this missing element from Salas.

Applicants' specification provides a double linked list for linking rooms together in collaboration space, with access control list control on rooms and access control list control on forward pointers, or child pointers, to child rooms.

This structure is illustrated in Figures 10 and 11 of Applicants' specification, which are described as follows:

Referring to Figure 10, QuickPlace rooms 201-204 and 210 are connected by forward and- backward pointers 205-209 and 211, and these enable the security of each room to be independently managed. Each room has its own security; that is, the identity of each user allowed to enter the room and that users security level; the three levels being reader, author, manager. This is held in an access control list which is a part of each room. While an individual, say Steve, has reader access (R) to the library 204, he can have author (A) access to a subroom 211. This enables a subroom 211 to have increased/ maintained, or decreased access authority for a particular individual with respect to its parent room 204. Only individuals with access to a parent 204 can access a subroom 210, but that subroom 210 can have changed access for the subroom 210 for these individuals. Previously, security could not be increased in subrooms 210 with respect to a parent room 204.

A database access control list (ACL) specifies who can or cannot access the database. For users who can access a database, access levels and roles determine the specific actions they can perform — for example, creating or deleting documents. Document access fields (Readers and Authors fields), in conjunction with the database ACL, control who can read or modify specific documents. Thus, to limit access to specific documents created from a form, a readers field is included. A readers field explicitly lists the users who can read documents created from the form. If a form has an access list, names from the readers field are added to the form access list. Otherwise, the readers field controls access to documents created from the form. Entries in a readers field cannot give a user more access than what is specified in the database access control list (ACL); they can only further restrict access. An authors field works in conjunction with author access in the database ACL. Listing users in an authors field expands access rights by allowing listed users to edit documents they create. Entries in an authors field cannot override the database access control list; they can only refine it. Authors fields affect only users who have author access to the database.

Referring to Figure 11, forward pointers 205, 209 are secure. Security, in this context provides that forward pointer 205 to project A 203 carries the same security as that of project A 203, and anyone viewing main room 201 who is not entitled to access project A 203 will not see room 203 listed in parent room. QuickPlace does not show a user things



or objects to which the user does not have access. In past, such objects were shown, but were greyed out or otherwise managed so that user access was inhibited. Forward pointers, therefore, include room name field 212, address to database name field 213, and readers field 214, which includes a table of user identifiers 215 for each user permitted to access the room, with corresponding access authority 216 for each such user, which may be manager, author, or reader. [Applicants' specification, pages 48-50.]

None of the references cited, taken individually or in any combination, appear to teach this structure of a double linked list for linking rooms together in rooms (places) in collaboration space with ACL security on each room (place in collaboration space) and ACL security (readers fields) on forward pointers in the double linked list.

The Examiner refers to Salas col. 13, lines 32-34 and col. 14, lines 37-39 as teaching a "readers field for providing access control list control on said forward pointer." Applicants traverse. Salas teaches appears to teach:

"For example, each object may be provided with a field or fields which identify users that may open, view, and edit the object." [Salas, Col 13, lines 32-34.]

"Since every file and eRoom item is represented as an object in the database, access of users to each item can be controlled by entries in the database schema. For example, every eRoom may be represented by a table which has as one or more of its fields, a list of members that are entitled to enter the eRoom." [Salas, Col. 14, lines 37-42.]

Applicants respectfully assert that there appears to be no teaching here of an access control list, or readers field, on a specific forward pointer from a parent room to a child room, which ACL or readers field is distinct from the ACL for either the parent or child room.

Applicants structure of access control elements appears to provide a readers field as part of the pointer which is distinct from the ACL on either the parent or the child room, and is an ACL control on the pointer itself used to specify whether a pointer to a child room (place) is enabled in its parent room (place).

Cutler appears to teach access control on objects generically, but does not appear to teach using such on forward pointers between rooms in collaboration space, as previously stated.

The Examiner appears to refer to Maurille as teaching forward pointers identifying a child room, but appears silent as to the existence of an ACL control on that pointer [Maurille, Col. 6, lines 44-57]. However, Applicants note, Maurille appears to have no teaching of "room" entities, and appears only to refer to a data schema including users, not rooms in collaboration space.

Thus, neither Salas nor Maurille nor Cutler appear to disclose or teach this aspect of the claims. That is, Applicants argue, the combination of Cutler, Salas and Maurille does not appear teach ACL control specific to forward pointers in the hierarchical structure of rooms in collaboration space in addition to ACL control on the parent and child rooms within that space.

That Salas does not appear teach a double linked list with ACL security on forward pointers in addition to ACL security on the rooms is apparent from examination of Salas Figure 1, which does not appear to show forward and reverse pointers between rooms. In Salas, there appears to be no teaching of forward and reverse pointers linking rooms with ACL security on those forward pointers, as distinguished from and in addition to security on the rooms. While Maurille may disclose forward and reverse pointers, none of Cutler, Maurille or Salas appear to teach ACL security on the forward pointers. Cutler's generic teaching of ACL on objects in an operating system domain does not appear teach the specific configuration of ACL controls on rooms and pointers within a collaboration space domain.

Maurille appears to be cited by the Examiner as teaching databases and pointers linking them. Cutler appears to be cited by the Examiner as teaching access control lists. Applicants claims are generally directed towards hierarchy of rooms to create a collaboration space with a specific protocol of access control lists, including ACL lists on rooms and additional ACL control specifically on forward pointers used for management of security of rooms within that

collaboration space. Neither Maurille, Cutler, nor Salas, taken separately or in combination, appear to teach that protocol.

The discussion above of claims 3-7, 9, 13 and 15, applies equally to claim 1. The primary distinction in claim 1 with respect to the claims previously discussed is the provision for "a document readers field for a document containing data in said subroom being a members object for identifying a subset of members of said place authorized to access a subroom who are also authorized to access said document," as is described at page 49, lines 1-18 of the specification. Claims 1 and 2 stand with claims 3-7, 9, 13, and 15 on the distinctions previously discussed.

Claim 10 varies from the claims previously discussed in that it is directed to the creation of a child room. This includes initially providing in a readers access field (195) for a child room created from a form those users identified in a form access list identifying users authorized to read rooms (such as 202) created from that form (page 49, lines 3-9) ; and limiting reader access in the readers access field (195, for subroom 210) to the child room (210) for a specific user to no more than the access granted that specific user in the first access control list (195, for main room 201) (page 49, lines 9-12).

On this point, the Examiner refers to Salas, col. 13, lines 32-34 and col. 14, lines 37-39, quoted above.

Applicants argue that there appears to be no teaching in these references to Salas, or elsewhere in any of the references, of the feature here being claimed. That is, creating a room from a form, which form has an associated form access list identifying those users authorized to access a room created from that form, in combination with the other limitation of the claims

including, specifically, the readers field on forward pointers linking to and from the room created from that form, as previously discussed.

Claim 3 varies from claims 9, 13, and 15 by not specifically reciting the displaying of a parent room, which limitation is included in its dependent claim 7, and by a more precise rendition that the ACL on a child room can only included users identified as authorized to enter the root place. The most relevant distinctions in claim 3 with respect to the Salas, Maurille, and Cutler references are those previously discussed with respect to claims 9, 13, and 15, so claim 3 and its dependent claims 4-7 stand with them.

Having overcome all of the outstanding rejections, Applicants respectfully submit that the subject application is now in condition for allowance. Applicants believe that all of the pending claims have been addressed. However, the absence of a reply to a specific rejection, issue or comment does not signify agreement with or concession of that rejection, issue or comment. In addition, because the arguments made above may not be exhaustive, there may be reasons for patentability of any or all pending claims (or other claims) that have not been expressed. Finally, nothing in this paper should be construed as an intent to concede any issue with regard to any claim, except as specifically stated in this paper.

In light of the above remarks, Applicants respectfully assert that the subject application is in condition for allowance. While Applicants respectfully assert that the subject application is now in condition for allowance, the Examiner is invited to telephone Applicants' attorney (617-305-2143) to facilitate prosecution of this application. Please apply any charges or credits to deposit account 50-2324.

Respectfully submitted,

Dated: 18 May 2010

/Brian J. Colandreo/  
Brian J. Colandreo  
Reg. No. 42,427

Holland & Knight LLP  
10 St. James Avenue  
Boston, MA 02116-3889  
Telephone: 617-305-2143  
Facsimile: 617-523-6850

# 9476068\_v1